Massachusetts Fire Training Council Firefighter Practical Certification Examination

S	kill Sl	heet No.	FF.	-I- 605		01-01-05 Candidate Number			er				
S	Skill Title: TWO FIREFIGHTER FLAT RAISE OF AN EXTENSION LADDER												
FROM THE GROUND-BUTT													
NFPA Objective: 5.3.6 Minimum to pass 10													
P	PERFORMANCE:												F
	1.	All Personal Protective Equipment (PPE) is properly worn.											
	2.	Checks the terrain and overhead obstructions before stepping forward or											
		bringing the ladder to the vertical position.											
	3.	Positions the ladder butt for the raise.											
	4.	Heels the ladder butt by standing on the bottom rung, grasping an upper											
	_	rung and leaning back. Crasps successively higher rungs as ladder comes to the vertical											
	5. 6.	Grasps successively higher rungs as ladder comes to the vertical. Pivots the ladder to position the fly section of the ladder away from the											
_	υ.	Pivots the ladder to position the fly section of the ladder away from the building, if necessary.											
	7.	Steadies ladder at assigned beam in preparation for extending the fly											
		section.											
	8.	Grasps the halyard and extends the fly hand over hand to a height as											
	9.	directed by the tip firefighter. Looks the fly in place with the payds											
	10.	Locks the fly in place with the pawls. Slowly lowers the ladder into the building.											
	11.	Secures the halyard <u>after</u> properly positioning the ladder resting on the											
_			structure and climbing angle adjustments are made.										
	12.	Provides c	Provides commands to allow for fluid motion.										
	13.	Uses leg, not back muscles, throughout the entire skill.											
	14.	Performs the flat raise of an extension ladder, as directed.											
												-	
												-	
												\dashv	
												+	
												\dashv	
												1	
												_	

Failure of this critical portion is cause for entire skill failure							
Examiner Signature							